

L Number	Hits	Search Text	DB	Time stamp
-	8373	(develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:29
-	3202	((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:30
-	1774	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:31
-	1311	(((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:33
-	560	((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:54
-	174	((((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:58
-	1	((((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:35
-	1	((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:35
-	1	(((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:36
-	3	((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:46

-	33	(((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same (device near independent or platform near independent) same (represent\$6 or defin\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:40
-	107	(((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same configur\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:48
-	6	(((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same configur\$8) and (receiv or retriev\$3 or send\$3) near7 (database or backend or back near end) same device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:43
-	6	(((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same configur\$8) and (receiv or retriev\$3 or send\$3) near7 (database or backend or back near end) same (device or platform) same (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:43
-	53	near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same configur\$8) and (receiv or retriev\$3 or send\$3) near7 (database or backend or back near end) same (device or platform) same (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:44
-	2	(((((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and (back near end or database or backend) same configur\$8) and (receiv or retriev\$3 or send\$3) near7 (database or backend or back near end) "US 20020147964 A1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 16:48

-	134	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (develop\$6 or build\$3 or design\$3 or construct\$3) near3 (application or program or software) and defin\$5 near3 (process\$3 or step)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:28
-	127	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (develop\$6 or build\$3 or design\$3 or construct\$3) near3 (application or program or software) and defin\$5 near3 (process\$3 or step)) and task	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:28
-	38	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (develop\$6 or build\$3 or design\$3 or construct\$3) near3 (application or program or software) and defin\$5 near3 (process\$3 or step)) and task) and task near4 defin\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:29
-	4	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and device near presentation near language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:56
-	4	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and device near presentation near language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:57
-	5	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and presentation near language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:57
-	46	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and present\$5 near3 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:57

-	0	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and XML) and (interpret\$3 near2 language or JVM or virtual near machine)) and device near3 lanuage same present\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:59
-	0	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and device near3 lanuage same present\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 17:59
-	20	((((develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and (platform or device) near2 independent) and (device or platform) near3 specific\$5) and (database or backend or back near end)) and (graphical near user near interface or gui or user near interface)) and device near3 language same present\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:58
-	3	(develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) near5 (application or program or software) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:47
-	3	(develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) same (application or program or software) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:47
-	3	(develop\$6 or build\$3 or construct\$3 or design\$3 or creat\$3 or generat\$3 or model\$5) and MAXML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:47
-	3	MAXML	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:47
-	0	("76146936").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 11:58
-	0	"76146936"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:26
-	12	xml same multiple near2 channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:27